## **CONTENTS**

| Preface  |           |
|--|-----------|
| H. Chen (Wuhan, China) and G.A.E. Gall (Davis, CA, USA)  | . 1       |
| First Honorable Member of IAGA, Valentin Sergeevich Kirpichnikov   | . 3       |
| Acceptance speech  |           |
| V.S. Kirpichnikov  | . 6       |
| Selection of Krasnodar common carp ( <i>Cyprinus carpio</i> L.) for resistance to dropsy: principal results and prospects  |           |
| V.S. Kirpichnikov (St. Petersburg, Russia), Ju.I. Ilyasov, L.A. Shart, A.A. Vikhman, M.V. Ganchenko, A.L. Ostashevsky, V.M. Simonov, G.F. Tikhonov (Moscow Province, |           |
| Russia) and V.V. Tjurin (Krasnodar, Russia)  | . 7       |
| Notes on mariculture in China  |           |
| C.K. Tseng (Qingdao, China)  | . 21      |
| Transgenic fish — gene transfer to increase disease and cold resistance  |           |
| Y. Jiang (Beijing, China)  | . 31      |
| Advances in fish cell engineering in China   | 41        |
| R. Lu and H. Chen (Wuhan, China)   | 41        |
| A.D. Pickering (Ambleside, UK)   | <b>51</b> |
| Genetic improvement of disease resistance in fish: an overview   | 31        |
| K.T. Fjalestad, T. Gjedrem and B. Gjerde (Ås, Norway)  | 65        |
| Estimating genetic change from selection   | 00        |
| G.A.E. Gall, Y. Bakar and T. Famula (Davis, CA, USA)   | 75        |
| Genetic structure of <i>Penaeus monodon</i> in Australia: concordant results from mtDNA and  |           |
| allozymes  |           |
| J.A.H. Benzie, E. Ballment and S. Frusher (Townsville, Qld., Australia)  | 89        |
| Geographic variability in the grey mullet <i>Mugil cephalus</i> : preliminary results of mtDNA and chromosome analyses   |           |
| D. Crosetti (Rome, Italy), J.C. Avise (Athens, GA, USA), F. Placidi, A.R. Rossi and  |           |
| L. Sola (Rome, Italy)  | 95        |
| Morphometric and biochemical genetic variation of the mitten crab, <i>Eriocheir</i> , in southern China  |           |
| G. Li, Q. Shen and Z. Xu (Guangzhou, China)  | 103       |
| Variation in morphology and biochemical genetic markers among populations of blunt snout bream ( <i>Megalobrama amblycephala</i> )                                   |           |
| S. Li, W. Cai and B. Zhou (Shanghai, China)  | 117       |
| Study on the blood type factors in red crucian carp (Carassius auratus var.)   |           |
| J. Tong and C. Wu (Wuhan, China)   | 129       |
| Genetic breeding and seedling raising experiments with Porphyra protoplasts  |           |
| J. Dai, Q. Zhang and Z. Bao (Qingdoao, China)  | 139       |
| Predictability of individual growth rates in tilapia   |           |
| M.S. Palada-de Vera and A.E. Eknath (Metro Manila, Philippines)  | 14/       |
| Growth and reproduction of individually tagged Nile tilapia ( <i>Oreochromis niloticus</i> ) of different strains  |           |
| R.B. Bolivar (Nueva Ecija, Philippines), A.E. Eknath (Metro Manila, Philippines), H.L. Bolivar and T.A. Abella (Nueva Ecija, Philippines)                            | 150       |
| n.L. Duivai and I.A. Abella (Nueva Ecila, Frillippines)  | 103       |

| Genetic improvement of farmed tilapias: the growth performance of eight strains of   |      |
|--|------|
| Oreochromis niloticus tested in different farm environments  |      |
| A.E. Eknath (Metro Manila, Philippines), M.M. Tayamen (Nueva Ecija, Philippines),  |      |
| M.S. Palada-de Vera (Metro Manila, Philippines), J.C. Danting, R.A. Reyes, E.E. Dionisio   |      |
| (Nueva Ecija, Philippines), J.B. Capili (Metro Manila, Philippines), H.L. Bolivar,   |      |
| T.A. Abella, A.V. Circa (Nueva Ecija, Philippines), H.B. Bentsen, B. Gjerde, T. Gjedrem  |      |
| (Ås-NLH, Norway) and R.S.V. Pullin (Metro Manila, Philippines)   | 17.1 |
| Effect of growth hormone on the growth rate of the gilthead seabream (Sparus aurata), and  |      |
| use of different constructs for the production of transgenic fish  |      |
| B. Cavari, B. Funkenstein (Haifa, Israel), T.T. Chen, L.I. Gonzalez-Villasenor (Baltimore,   |      |
| MD, USA) and M. Schartl (Wurzburg, Germany)  | 189  |
| Expression of chinook salmon growth hormone gene in E. coli  |      |
| S. Song, T. Zhang, W. Zhao, W. Qi, W. Hu, P. Wang (Tianjin, China) and C.L. Hew  |      |
| (Toronto, Ont., Canada)  | 199  |
| Gene transfer via electroporation in fish  |      |
| Y. Xie, D. Liu, J. Zou, G. Li and Z. Zhu (Wuhan, Hubei, China)   | 207  |
| Development of a heavy metal-inducible fish-specific expression vector for gene transfer in  |      |
| vitro and in vivo  |      |
| Y. Hong, C. Winkler (Martinsried, Germany), G. Brem (München, Germany) and   |      |
|  | 215  |
| Chromosome-set manipulation in tilapia — techniques, problems and prospects  |      |
| G.C. Mair (Swansea, UK)  | 227  |
| Growth of the induced triploid pearl oyster, Pinctada martensii (D.)   |      |
| W. Jiang, G. Li, G. Xu, Y. Lin and N. Qing (Guangzhou, China)  | 245  |
| An artificial multiple triploid carp and its biological characteristics  |      |
| C. Wu, Y. Ye, R. Chen and X. Liu (Wuhan, China)  | 255  |
| Suppression of first cleavage in the Nile tilapia, Oreochromis niloticus L. — a comparison of  |      |
| the relative effectiveness of pressure and heat shocks   |      |
| M.G. Hussain, D.J. Penman, B.J. McAndrew (Stirling, UK) and R. Johnstone   |      |
|  | 263  |
| Gynogenesis in common carp ( <i>Cyprinus carpio</i> ). IV. Growth, phenotypic variation and gonad differentiation in normal and methyltestosterone-treated homozygous clones and |      |
| F <sub>1</sub> hybrids   |      |
| J. Komen, E.H. Eding, A.B.J. Bongers and C.J.J. Richter (Wageningen, Netherlands)  | 271  |
| Induced diploid gynogenesis and polyploidy in ornamental (koi) carp, Cyprinus carpio L.  |      |
| 2. Timing of heat shock during the first cleavage  |      |
| N.B. Cherfas, G. Hulata and O. Kozinsky (Mobile Post Hof Hacarmel, Israel)   | 281  |
| Poster Session Abstracts   | 291  |
|  |      |
| Author Index   | 329  |